How to configure User and access via AWS Dev Portal

- Read the credentials received via email from dev portal

Developer Portal - Invitation



Developer Portal

You have been invited to access the developer portal at https://devportal.coface.com.

Username: georom02@yahoo.com Temporary password: HBznU9

- Connect to https://devportal.coface.com.
- Introduce the credentials received in the email
- On first logging, you are asked to change the password.
- After changing the password, you are logged in into AWS gateway for Coface APIs:

-> C 🟠 🔒 devportal.coface.com	18 ★	* = [I 🛈 🗄
Coloce 🗧 JRA, Cont 🚪 BD, beacon 🚪 Monitoring 🛑 DeriPortal 📋 ICON FO 📋 Starepoint 🚆 Swagger 🔤 Icon APi-customer 🚺 acprox-Support In.: 🎧 giftub 🚱 HSMS Cenere conc CC) ICON wiki 🐲 Cisco Weber Meett 🚳 Requires Biastar	2023_JCON_R	elease	39
D Coface Developer Portal Cetting Started Coface APIs M	y Dashboard	georom02⊚ Sign	yahoo.com out
c_face			
Coface Developer Portal			
Your gateway to the credit insurance data.			
Get Startad with Coface Apis Our APIs			
EXPLORE AND BUILD			
Read the Getting Started guide to learn how to interact with Coface ecosystem to get an application			

- Go to My Dashboard for the API key needed for Authorization:

	face APIs		
	ADLVav		
	Anna State Contraction of the State of the S		
	Usage for ICON Data API	Usage for ICON Data API Sandbox and 1 more	
Usage for ICON Data API Usage for ICON Data API Sandbox and 1 more			

- Go to Coface APIs, API Coface – Authentication (on left side list) and Subscribe on it

← → C ① 🔒 devportal.coface.com	i/apis/ytinqd4ghc/v1 Monitoring 📒 DevPortal 📒 ICON :	I FO 📙 Sharepoint	Swagger	Icon API- customer.	. 🚺 a.c.pro:- Support In	O github	HRMS Cerere conc	CO ICON wiki	😗 Cisco Webex Meeti	Requires BAs.xlsx	년 🕇	Release	= 0 (
C Coface Developer Portal Getting Star	rted Coface APIs										My Dashboard	geo	om02@yaho Sign out
Search APIs APIs ICON Data API Santhor v1 API Coffsee: Authentication v1 API Coffsee: Company v1 V1	co	API Cof Endpoint Description Usage Plan	ace - Aut https://cofaserve- Domain Authenti Login-Rate	thenticatio	on entication-v1								
v1 API CofaServe - Notification Pull v1	Schemes									l	Authorize		
API CofaServe - Notification Push v1 API CofaServe - Overdue v1 API CofaServe - Policy	Authenticatio	on Return Toker Authentication serv	is									~]
v1 APICofaServe - Product v1 APICofaServe - Utilities	default OPTIONS /toker	2n										~]
v1													

Testing authentication via swagger

You need to get the Token (the second key for authentication)

Click on POST /token, click on Try it out option, and introduce the password and username (the ones used for logging into Dev portal url) and press Execute:

Authentication Return Tokens	
POST /token Authentication service	
Return Tokens	
Parameters	c
Name	Description
Authentication * required (body)	Edit Value Model
	passaurt", genetativ, genetativ, saurett userseurt "secondative" (secondative cricishioskan : "string") }
	Cancel
	Parameter content type application(ison v)

Response should be:

Code	Details
200	Response body
	(
	"idToken":
	*eyJrakQl013Mr2VRWFhxMr2FLIkhLY2R6T1xvSFd6UktpKBpvRdSwFkdUMpta0FRakUydz01LChhGc1013SUz13K139.eyJzdxT1ol12Nr2hL0DA5Ri02MTBhLTQxMx1tYjY3YS8zZDQ2MrFhYmF1ZG1LLCJjb2duaXRvOndyb3VxcyIGkJ3jb22hY2UtY
	X8p23ct+29mVM1R0/2U69ydGFsLV31221zddly2M8Kcm91cC3dLC31bHFpbF922XCp2m112C16dH1125w1Y29mbm10bzpucmVm2X1y2MRfcm9s2S161mFybjphd3M6aWFt0jo2MTAANT1xHzq2HTQ6cm9sZVwvY29mVM1LHFwaWd3LMVv2mFjZUR1d1Bv
	cnRhbC1Db2duaXRvUmVnaXNeXX12F3vbGUtUTNYMU4wNE1KOFFYTiwiaXNz1joiaHR0cHM6KC9cL2NvZ5pdG8taWRwLmV1LXdL2QCMS5hbWF6b25hd3MuY29tXC91d5132XN0LTFfH2ZKTmNE0FHzTiwiY29nbm10bzp1c2VybmFt2516Imd1b33vbTA
	yQHLha@9vLmIvb51s1mIv725pd@86cm9s20Hi01s1YAUu0mF3czppW860jYxH0g1HjEzH0Y1M0pyb2x1XC9jb22hY2UYX00p23ctY29mWM1RrV2U59yd@FsLUW725pd@952Mdp3R1cmHkUm9s251RH1gxTjA0SU4UVg1XSu4YXYkTjo1HzhmaTNzdH
	g2NXQyc298bmt2dn1xMHY44KjHiLC31dmVudF9pZCI6Ijg2VTE2ZTZkLTI3YmQtNDkzYSIiNDc1LTM4MmYVYjRhYzZhYSISInRva2VuX3VzZSI6ImlkIiwiYXY08F90aW1IIjoxNjc2NDKyMzIILC31eHAiOjE2NzY00TUSMjUSImlhdCI6HTY3NjQSMjMyN
	SwiZWihaMxiOiJnZx0yb20wMkBSYMhvby5jb20ifQ.g4xx6d8CLZa4RFHZpecQwA3cjYUiApbibaKHSewEmsQfKw5IQ8VYj3tmuQRTy5E0CoumnAHKZORGin4068Juic7qDi4gvUZ9HcImDh54Zup3iJLpkncbL0FbzC5KrI7R3HYoPt607wbhfz3WhSXUi
	218WZimQDvvfmgdH_Zt1j2EoLGdTKAfch1XQH_dYGwjYTgiMhym8cULSB0lb-ooxWHglEIosmQqpHP8K3PQMnvoMGslaqCEuPmcqD0fpUAyZztP7-
	SUGHxL6vcnawrzlNkcjxlicRck001eWd2Vwjhl3onomJpKDGnvoRWRFZE_zAdLzgr0fSBdfSYL0YbTsQ", "accessToken":
	*ey3raMQ1013BN2N2eU1aV1ZGNzFTNzNidB1YbU41TKo3K2tCR2x1Q3MmKYBTBxyVK5rP5IsImFs2y16f13TMjU2In8.ey3zdKTI0IT2Nzh10DA5NiB2MTBhLTQuMmItYjY3Y58zZDQ2MWFhWFiZGIILC3jb2duaXRvOmdyb3WcyIGMy3jb2ZhY2UtYX
	Bp23ctY29mYMNIR6v2U69yd6FsLV31221zd6VyZwRHcm91cC3dLC3pc3Hi0i30dHRwczpcL1wvY29nbm8Bby1pZHAuZXUtd2VzdC8xLmF+YXpvbmF3cy5jb21cL2V1LXd1c3qtHV8zZkp0Y8Q4UzHLLC3jb611bnRfaWQ10i130GZpH3NiaDY1dD3zb3Rua
	322cjA0djg2HyIsIm/22H50X2LkTjoi002HHTNINmqtHjdi2C000ThhLHT0NzUtHzgy2jBiNGFjNmFhTiwidd9r2H5fd0N1TjoiYANj2OnzTiwic2NvcGUi0iJhd3HuY29nbnl0by5zakdunH4ud0N1ciShZ61pbiTsTmF1dGhfdG1t2ST6NTY3NjQSNjHy
	NSwi2XhwIjoxNjc2NDk10T11LC3pYXQi0jE2NzY80T12NjUSImp8s56Tjdk0TVjYj01LMgxM#HM6ZIAC6442NiLT12HTc20DNiVwF1NC15InV2ZXUVW11Ij0iZ2Vvcm9HD0AekFob28uY29tIn8.0g70L8q1VTvxxiP230MCPQK08HNL37xik015DL5
	8eSe4z178AV86ZkZ9nyyE6m2U9jJqocB3H9wuFPyOrYPeNKs73fpNzFepYgiaSZynQByMeYHF_VhahTjPDSNZFLH23IVCAagj-3dgbuAald8eCfAJVTHjZ-
	jIAamOnKe4H0j3mtFiGtKSqRH8KYTAmOEbWK9uhYgH3DDfiojif3PMBvXFXmoUzzwoQGHeKIVPYCMME1IexQhAGBq60BamMbf9fduRcH4VqvgLefSxgnI0-vCQh5vJkEJ_2RsjamBfzekIIDvH1BZarmETpAGcaq_CCBiOpMH7pf3cQTQ6wg*,
	"refreshToken": "eyJjdHklólJKVlQiLCJ1bmHiOiJBMjU2RBMNTjwiYHknIjoiUlNBLU9BRVAIfQ.Huy_xiwHkcBIdMfzQohIl3LKP-
	heoSTRBIDIPPQyssPznqNGS1W4B33Tvb9CAN5cPn6BZXS_IN6LE6fqgg0Rz4x03FzK_IhVaI17kZxntIs_6hR_R-0Rp9Kkat5EcaUkt_H17jb3TU63eVzdyNfgLh7hpLuN-6Vg1PISTwJUkqNhfutptK3utja_t18- Dowrlload
	Y886/4011/02674-02-026488/36/486/65601/885/7/31/1832/286/T64/854001/34/0764/564/86
	Response headers
	content-length: 4244
	content-type: application/json

In this moment, the user is authenticated. Now you should subscribe to ICON report API Sandbox:

C:) Colore Developer Portal Getting Started Colore APIs		My Dashboard gron
Unit minima minima 14 14 14 14 14 15 14 15 15 16 16 16 16 16 16 16 16 16 16	ICON Report API Sandbax Final Report API Sandbax Final Report Re	
v7 API Cathlerve - Overhee v5 AVI Cathlerve - Donine	Mensi (#175 v)	
15 AR Cafeliere - France 13 AR Canderne - Unities 15 Standaus Information - Company	Company Identification work to company you with to obtain the table to the state table to the state table table to the state table t	
15 Banima halo matan - Salastia Andyni 15 Banima halomatian - Salastia Raya	Countries Law of newstrawites and mechanisms.	
na na standar se	orantry(contry, ise, and)/literifies	
45 ICON Data ARI KCON Data ARI Senthere KCON Data ARI Senthere	GT Acclashing GT Acclashing(Inde_journ)	
ICON Report A91 v1 KON Report A91 Senthur	Notifications Counted reductions of monitored companies V	

Click on Authorize and introduce the value of the token received:

Available authorizations	×
AuthorizerCognitoApionsandboxReportapisandbox (apiKey) Name authorization in header Value: Authorize Close	
api_key (apiKey) Authorese Nome +-upi-toy It beader Value: ****** Logout Close	

Once the token is introduced and validated, the window can be closed:

Available authorizations	×					
AuthorizerCognitoApionsandboxReportapisandbox (apiKey)						
Autorised Name: authorization In: header						
Logout Close						
api_key (apiKey)						
Authorized						
Name: x-api-key In: header Value: ***** Logout Close						

Once subscribed, you can start testing the Report API under Sandbox environment via swagger: One simple test/ call can be made to */countries* endpoint: click on it, click on Try it out and then click Execute:

GET /com	npany	
Countries	Lists of covered countries and associated identifiers.	,
GET /cou	untries	
GET /cou	untry/{country_iso_code}/identifiers	
Misc Miscellan	neous methods	
GET /cod	dedvalues	
GET /cod	dedvalues/{code_name}	
GET /pin	ng	
Notification	NS Download notifications of monitored companies	
GET /not	tification/{id}	

Answer should look like:

Code	Details	
200	Response body	
	t	
	"ISO_CODE": "AL", Warry", "Allocate"	
	name: ALDENLA , "SFGINA SOCARI" - THIA	
	"online orders": tue	
	Ĩ	
	"iso_code": "DZ",	
	"name": "Algeria",	
	"offline_orders": true,	
	"online_orders": true	
	Ъ	
	"iso_code": "A0",	
	"name": "Angola",	
	"ortine_orders: true,	
	ONITAC_OFUERS : True	Download
	Response headers	
	content-length: 1880	
	content-type: application/json	

You are ready to explore the rest of the swagger and rest of the endpoints of Report API. Enjoy it! 😊